ATELIER 001

LIGHTING COLLECTION

2022

WWW.ATELIER001.COM

ATELIER
001

INTRODUCTION

Operating from a London-based studio, Atelier001 is a luxury lighting brand celebrating artisanship by creating beautiful, collectible lighting objects with the highest attention to detail and finish.

The designs are curated by acclaimed lighting designer and artist, Eva Menz, who is committed to making exceptional light pieces more accessible to a larger audience. The fabrication of the lights also aims to support a network of unique makers in what are often described as ‘dying trades’.

Each Atelier001 piece is hand-finished by master artisans, who imbue these exclusive objects with their incredible skills. Each carefully considered detail attests to the dedication of the makers, while the individual touches and handmade quality celebrate the inherent beauty of authentic materials.

We encourage our audience to welcome and embrace the unique character within each object, its variations and small beautiful imperfections.

COLLECTIONS

COSMIC COLLECTION	03
COMET	12
PURION	17
ORE	18
OXIDIUM	19
AZURE	20
VERDIGRIS	21
REGOLITH	22
RUST	23
SOL PENDANT	24
PURION PENDANT	25
OXIDIUM PENDANT	26
RUST PENDANT	27
AZURE PENDANT	28
ORE PENDANT	29
VERDIGRIS PENDANT	30
REGOLITH PENDANT	31
ORE CHANDELIER	32
VERDIGRIS CHANDELIER	33
REGOLITH CHANDELIER XL	34
ORE CHANDELIER XL	35
PURION CHANDELIER XL	36
ORBIT SOLO	37
ORBIT TRIO	42
ORBIT TRIO XL	47
SOLSTICE	52
SOLSTICE X	55
LIQUID COLLECTION	57
ALABASTER	62
AMBER	63
OCEAN	64
JADE	65
SMOKE	66
LIQUID PENDANT	67
VORTEX SOLO	72
VORTEX TRIO	75
VORTEX QUIN	78
VORTEX TRIO XL	81
CITYSCAPE COLLECTION	84
SYM	86
TRIO	87
CANVAS COLLECTION	88
MIDNIGHT LANTERN	90
LUNE LANTERN	91
SOLEIL PENDANT	92
LUNE TRIO PENDANT	95

ATELIER
001

COSMIC COLLECTION

Working with metal is always magical. For the Cosmic collection we play with both shapes and patina finishes. The aim was to achieve terrestrial, possibly extra-terrestrial imitations of surfaces, and planet-like appearances. These textures, imaginary imagery and actual alchemy formed the basis of our inspiration.

Reflector plates are first shaped over a mould into a curve. The mould is carved out of wood, then either brass or copper is spun over it. This leaves the smallest patters, tracing a process that is beautiful to observe. The plates are the metalworkers' canvas of painting. Oxidising, heat, acid, pigments, process, patience, getting it wrong and starting all again. Bronzing, acid and heat treatment is applied to this collection, and each plate varies slightly and intentionally.

The process of brushing, spraying, splashing and polishing results in a variety of finishes, giving each piece of Cosmic an individual touch. It is the perfect demonstration of the interaction between the material and craftsmen.



COSMIC COMET

PURION

ORE



OXIDIUM

VERDIGRIS



REGOLITH



COSMIC WALL

PURION

ORE

OXIDIUM



AZURE

VERDIGRIS

REGOLITH

RUST

COSMIC PENDANT

SOL

PURION

OXIDIUM

RUST

AZURE

ORE

VERDIGRIS

REGOLITH

COSMIC CHANDELIER

ORE

VERDIGRIS

REGOLITH XL

ORE XL

PURION XL

ORBIT SOLO PENDANT

ORE

REGOLITH

PURION

RUST

VERDIGRIS

ORBIT TRIO PENDANT

ORE

REGOLITH

PURION

RUST

VERDIGRIS

ORBIT TRIO PENDANT

ORE XL

REGOLITH XL

PURION XL

RUST XL

VERDIGRIS XL

SOLSTICE TABLE LIGHTS

ORE

NOIR

AURUM

SOLSTICE FLOOR LIGHTS

ORE X

NOIR X



COMET PURION

DIMENSIONS
Ø 20cm (7.9”) | Depth 7cm (2.8”)
Ø 26cm (10.2”) | Depth 9cm (3.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.









COMET ORE

DIMENSIONS
Ø 20cm (7.9”) | Depth 7cm (2.8”)
Ø 26cm (10.2”) | Depth 9cm (3.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.







COMET OXIDIUM

DIMENSIONS
Ø 20cm (7.9”) | Depth 7cm (2.8”)
Ø 26cm (10.2”) | Depth 9cm (3.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.







COMET VERDIGRIS

DIMENSIONS
Ø 20cm (7.9”) | Depth 7cm (2.8”)
Ø 26cm (10.2”) | Depth 9cm (3.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.







COMET REGOLITH

DIMENSIONS
Ø 20cm (7.9”) | Depth 7cm (2.8”)
Ø 26cm (10.2”) | Depth 9cm (3.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





PURION

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.







ORE

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





OXIDIUM

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





AZURE

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Mixed indigo patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





VERDIGRIS

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





REGOLITH

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





RUST

DIMENSIONS
Ø 35cm (13.8") | Depth 12cm (4.7")
Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT
3kg (6.6lbs)
4kg (8.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Rust patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



SOL PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Satin brass;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



PURION PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



OXIDIUM PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





RUST PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Rust patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



AZURE PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Mixed indigo patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



ORE PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





VERDIGRIS PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
9kg (19.8lbs)
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





REGOLITH PENDANT

DIMENSIONS
Ø 70cm (27.5") | Height 42cm (16.5")
Ø 100cm (39.4") | Height 52cm (20.5")

WEIGHT
15kg (33.1lbs)
27kg (59.5lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





ORE CHANDELIER

DIMENSIONS
Ø 70cm (27.5") | Height 57cm (22.4")
Ø 100cm (39.4") | Height 75cm (29.5")

WEIGHT
15kg (33.1lbs)
25kg (55.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



VERDIGRIS CHANDELIER

DIMENSIONS
Ø 70cm (27.5") | Height 57cm (22.4")
Ø 100cm (39.4") | Height 75cm (29.5")

WEIGHT
15kg (33.1lbs)
25kg (55.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



REGOLITH CHANDELIER XL

DIMENSIONS
Ø 70cm (27.5") | Height 85cm (33.5")
Ø 100cm (39.4") | Height 108cm (42.5")

WEIGHT
35kg (44.2lbs)
40kg (88.2lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.







ORE CHANDELIER XL

DIMENSIONS
Ø 70cm (27.5") | Height 85cm (33.5")
Ø 100cm (39.4") | Height 108cm (42.5")

WEIGHT
35kg (44.2lbs)
40kg (88.2lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



PURION CHANDELIER XL

DIMENSIONS
Ø 70cm (27.5") | Height 85cm (33.5")
Ø 100cm (39.4") | Height 108cm (42.5")

WEIGHT
35kg (44.2lbs)
40kg (88.2lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss and matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT SOLO ORE

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 60cm (23.6”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT SOLO REGOLITH

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 60cm (23.6”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT SOLO PURION

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 60cm (23.6”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT SOLO RUST

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 60cm (23.6”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Medium bronze framework
Hand-spun brass plate

FINISH
Rust patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT SOLO VERDIGRIS

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 60cm (23.6”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT TRIO ORE

DIMENSIONS
Width 120cm (47.2")
Height 116cm (45.6")
Depth 40cm (15.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO REGOLITH

DIMENSIONS
Width 120cm (47.2")
Height 116cm (45.6")
Depth 40cm (15.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO PURION

DIMENSIONS
Width 120cm (47.2")
Height 116cm (45.6")
Depth 40cm (15.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO RUST

DIMENSIONS
Width 120cm (47.2")
Height 116cm (45.6")
Depth 40cm (15.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Medium bronze framework
Hand-spun brass plate

FINISH
Rust patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO VERDIGRIS

DIMENSIONS
Width 120cm (47.2")
Height 116cm (45.6")
Depth 40cm (15.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Medium bronze framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT TRIO XL ORE

DIMENSIONS
Width 160cm (63”)
Height 115cm (45.3”)
Depth 50cm (19.7”)

WEIGHT
20kg (44.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO XL REGOLITH

DIMENSIONS
Width 160cm (63")
Height 115cm (45.3")
Depth 50cm (19.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ORBIT TRIO XL PURION

DIMENSIONS
Width 160cm (63")
Height 115cm (45.3")
Depth 50cm (19.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT TRIO XL RUST

DIMENSIONS
Width 160cm (63")
Height 115cm (45.3")
Depth 50cm (19.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Medium bronze framework
Hand-spun brass plate

FINISH
Rust patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





ORBIT TRIO XL VERDIGRIS

DIMENSIONS
Width 160cm (63")
Height 115cm (45.3")
Depth 50cm (19.7")

WEIGHT
20kg (44.1lbs)

MATERIALS
Medium bronze framework
Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



SOLSTICE ORE

DIMENSIONS
Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT
6kg (13.2lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.

REGION
CE certified;
UL listing available at a surcharge.



SOLSTICE NOIR

DIMENSIONS
Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT
6kg (13.2lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.

REGION
CE certified;
UL listing available at a surcharge.



SOLSTICE AURUM

DIMENSIONS
Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT
6kg (13.2lbs)

MATERIALS
High polished brass framework
Hand-spun brass plate

FINISH
High polished brass;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.

REGION
CE certified;
UL listing available at a surcharge.







SOLSTICE ORE X

DIMENSIONS
Ø 50cm (19.7") | Height 150cm (59.1")

WEIGHT
9kg (19.8lbs)

MATERIALS
Satin brass framework
Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.

REGION
CE certified;
UL listing available at a surcharge.





SOLSTICE NOIR X

DIMENSIONS
Ø 50cm (19.7") | Height 150cm (59.1")

WEIGHT
9kg (19.8lbs)

MATERIALS
Dark bronze framework
Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is hand-finished and will vary slightly in patterns and textures.

LEAD TIME
12-14 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.

REGION
CE certified;
UL listing available at a surcharge.



ATELIER
001

LIQUID COLLECTION

Inspired by the fluid forms, reflections and mesmerising light play of water shapes, the signature concentric glass shades of the Liquid lamps are individually handmade by a master artisan with over 25 years of experience in glassmaking.

The collection found its genesis and evolution through the exploration into the temperament and limitations of glass. The process of glass-blowing is one of mastery, best described as a dance in which the artisan moves rhythmically from flame to bench guided by the material's properties: its fluidity, melting points and hardening schedules. The hand-forming and twisting of the material as well as the blending in of smooth colour gradients result in subtle and intentional imperfections.

Enhanced with minimal yet advanced LED technology, the glass plates shine and project its gradient patterns onto the wall, Each Liquid wall piece is a celebration of unique craftsmanship.

WALL PIECES

LIQUID ALABASTER



LIQUID AMBER



LIQUID OCEAN



LIQUID JADE



LIQUID SMOKE



LIQUID PENDANT

ALABASTER

AMBER

OCEAN

JADE

SMOKE

LIQUID VORTEX SOLO

ALABASTER

JADE

SMOKE



LIQUID VORTEX TRIO

ALABASTER

JADE

SMOKE

LIQUID VORTEX QUIN

ALABASTER

JADE

SMOKE

LIQUID VORTEX TRIO XL

ALABASTER

JADE

SMOKE





LIQUID ALABASTER

DIMENSIONS
Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT
4kg (8.8lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.

REGION
CE certified;
UL listing available at a surcharge.







LIQUID AMBER

DIMENSIONS
Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT
4kg (8.8lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Amber yellow to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.

REGION
CE certified;
UL listing available at a surcharge.









LIQUID OCEAN

DIMENSIONS
Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT
4kg (8.8lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Ocean blue to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.

REGION
CE certified;
UL listing available at a surcharge.









LIQUID JADE

DIMENSIONS
Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT
4kg (8.8lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.

REGION
CE certified;
UL listing available at a surcharge.



LIQUID SMOKE

DIMENSIONS
Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT
4kg (8.8lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.

REGION
CE certified;
UL listing available at a surcharge.



LIQUID PENDANT ALABASTER

DIMENSIONS
Ø 50cm (19.7")
Height 38.3cm (15.1")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID PENDANT AMBER

DIMENSIONS
Ø 50cm (19.7")
Height 38.3cm (15.1")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Amber yellow to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.







LIQUID PENDANT OCEAN

DIMENSIONS
Ø 50cm (19.7")
Height 38.3cm (15.1")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Ocean blue to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



LIQUID PENDANT JADE

DIMENSIONS
Ø 50cm (19.7")
Height 38.3cm (15.1")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



LIQUID PENDANT SMOKE

DIMENSIONS
Ø 50cm (19.7")
Height 38.3cm (15.1")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX SOLO ALABASTER

DIMENSIONS
Ø 50cm (19.7")
Depth 7cm (2.8")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.









LIQUID VOTEX SOLO JADE

DIMENSIONS
Ø 50cm (19.7")
Depth 7cm (2.8")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX SOLO SMOKE

DIMENSIONS
Ø 50cm (19.7")
Depth 7cm (2.8")

WEIGHT
6kg (13.2lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO ALABASTER

DIMENSIONS
Height 85.5 (33.7”)
Width 97.5cm (38.3”)
Depth 7cm (2.8”)

WEIGHT
15kg (33.1lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO JADE

DIMENSIONS
Height 85.5 (33.7")
Width 97.5cm (38.3")
Depth 7cm (2.8")

WEIGHT
15kg (33.1lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO SMOKE

DIMENSIONS
Height 85.5 (33.7")
Width 97.5cm (38.3")
Depth 7cm (2.8")

WEIGHT
15kg (33.1lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX QUIN ALABASTER

DIMENSIONS
Height 93.5cm (37.2")
Width 142.5cm (56.1")
Depth 17.5cm (6.9")

WEIGHT
19kg (41.9lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX QUIN JADE

DIMENSIONS
Height 93.5cm (37.2”)
Width 142.5cm (56.1”)
Depth 17.5cm (6.9”)

WEIGHT
19kg (41.9lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX QUIN SMOKE

DIMENSIONS
Height 93.5cm (37.2")
Width 142.5cm (56.1")
Depth 17.5cm (6.9")

WEIGHT
19kg (41.9lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO XL ALABASTER

DIMENSIONS
Height 50cm (19.7”)
Width 170 (66.9”)
Depth 7cm (2.8”)

WEIGHT
18kg (39.7lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO XL SMOKE

DIMENSIONS
Height 50cm (19.7”)
Width 170 (66.9”)
Depth 7cm (2.8”)

WEIGHT
18kg (39.7lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.





LIQUID VOTEX TRIO XL SMOKE

DIMENSIONS
Height 50cm (19.7”)
Width 170 (66.9”)
Depth 7cm (2.8”)

WEIGHT
18kg (39.7lbs)

MATERIALS
Aged brass framework
Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is hand-blown and will vary slightly.

LEAD TIME
10-12 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ATELIER
001

CITYSCAPE COLLECTION

The Cityscape collection originates from drawing a single silhouette, an outline. This is what we began with, but through a delicate process, the line is turned into a three-dimensional object. Illumination brings it all to light revealing the finest lines and smallest details.

To enable this process, Atelier001 collaborates with a workshop that is experienced with scientific glass for nearly half a century. Shaping medical glass requires extreme patience, tenacity and concentration. It's clear that a glassblower requires the ability to be a problem-solver, and a logical but creative thinker, with patience, dexterity and ability to control with precision - even one's own breath. Such a craft involves much artistry and technique.

The result of this careful shaping is a delicate and yet very toughened glass vessel. We enrich it with a single light source, implemented as suspension and as illumination. The intention is to cast mesmerising shadows and a play of light on its surroundings, adding to the sculptural features of a space.



CEILING PIECES

SYM

TRIO

CITYSCAPE SYM

DIMENSIONS
Ø 15cm (5.9”)
Height 52cm (20.5”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Satin brass framework
Hand-blown glass

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2W 200lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118”) to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



CITYSCAPE TRIO

DIMENSIONS
Width 50cm (19.7")
Height 90cm (35.4")
Depth 45cm (17.7")

WEIGHT
8kg (17.7lbs)

MATERIALS
Satin brass framework
Hand-blown glass

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 3x2W 200lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



ATELIER
001

CANVAS COLLECTION

Inspired by the beauty and simplicity of traditional lantern forms, the design of the Canvas collection started with an aim to create a warm, pure lighting atmosphere through minimal shapes and authentic materials.

The lanterns focus on the materiality of natural silk. Silk-making involves nature, individuals and craftsmanship, a process that requires absolute patience and precision, and a traditional skill that is often passed on for generations. Once the shade is completed, it is combined with finely brushed brass framework then softly illuminated with LED lighting technology from within. It is apt for both modern and classic interiors.

Just like a blank canvas where ideas are brought to life, we invite you to request bespoke versions of Canvas pieces with your chosen colours, finishes and dimensions.

WALL PIECES

MIDNIGHT LANTERN

LUNE LANTERN

CEILING PIECES

SOLEIL PENDANT

LUNE TRIO PENDANT

MIDNIGHT LANTERN

DIMENSIONS
Width 23cm (9”)
Height 52cm (20.5”)
Depth 28cm (11”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Raw natural silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Output E27 max. 100W
Input 120/240V

WALL MOUNTED
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



LUNE LANTERN

DIMENSIONS
Width 40cm (15.7”)
Height 43cm (16.9”)
Depth 15cm (5.9”)

WEIGHT
3kg (6.6lbs)

MATERIALS
Raw natural silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1800lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.



SOLEIL PENDANT IVORY

DIMENSIONS
Ø 80cm (31.5")
Height 36cm (14.2")

WEIGHT
6kg (13.2lbs)

MATERIALS
Raw natural silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 33W 3500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



SOLEIL PENDANT SILVER

DIMENSIONS
Ø 80cm (31.5")
Height 36cm (14.2")

WEIGHT
6kg (13.2lbs)

MATERIALS
Natural silver grey silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 33W 3500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



SOLEIL PENDANT CARBON

DIMENSIONS
Ø 80cm (31.5")
Height 36cm (14.2")

WEIGHT
6kg (13.2lbs)

MATERIALS
Natural black silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 33W 3500lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



LUNE TRIO PENDANT IVORY

DIMENSIONS
Width 150cm (59.1")
Height 73cm (28.7")
Depth 42cm (16.5")

WEIGHT
9kg (19.8lbs)

MATERIALS
Raw natural silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 3x17W 1800lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



LUNE TRIO PENDANT SILVER

DIMENSIONS
Width 150cm (59.1")
Height 73cm (28.7")
Depth 42cm (16.5")

WEIGHT
9kg (19.8lbs)

MATERIALS
Natural silver grey silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 3x17W 1800lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



LUNE TRIO PENDANT CARBON

DIMENSIONS
Width 150cm (59.1")
Height 73cm (28.7")
Depth 42cm (16.5")

WEIGHT
9kg (19.8lbs)

MATERIALS
Natural black silk shade
Satin brass framework

FINISH
Satin finished brass;
Please note that each piece is hand-finished and will vary slightly.

LEAD TIME
8-10 weeks excl. shipping

ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 3x17W 1800lm
Input 120/240V
50,000 hours rated life

DIMMING
Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 3m (118") to be cut to size.

REGION
CE certified;
UL listing available at a surcharge.



ATELIER
001

LONDON
INFO@ATELIER001.COM | +44 (0)20 3778 0858
WWW.ATELIER001.COM